

I 10826-66

ACC NR: AP60442

SOURCE CODE: CZ/0043/65/000/004/0281/0286

AUTHOR: Jokl, Vladimir--Yokl, V. (Doctor; Doctor of natural sciences; Pharmacist; 17  
Candidate of sciences); Majer, Jaroslav--Mayer, Ya. (Doctor; Candidate of sciences; 8  
Pharmacist)

ORG: Department of Analytical Chemistry, Pharmaceutical Faculty, Comenius University,  
Bratislava (Katedra analytickej chemie Farmaceutickej fakulty Univerzity Komenského)

TITLE: Study of complex compounds in solution by means of paper electrophoresis.  
(V.). Complexes of stereoisomeric 2,3-diaminobutane-N,N,N',N'-tetraacetic acids

SOURCE: Chemické zvesti, no. 4, 1965, 281-286

TOPIC TAGS: intermolecular complex, electrophoresis, paper chromatography, organic  
nitrogen compound, butane, acetic acid, stereochemistry

ABSTRACT: The evaluation of electrophoretic mobility of complexes of meso- and  
rac- acids with some di- and trivalent central ions allowed to determine the  
formation and stability of these complexes. The complexes are similar to those  
of ethylenediaminetetraacetic acid; the m- forms have the same stability, the r-  
have a very high stability similar to that of the complexes of 1,2-diaminocyclo-  
hexanetetraacetic acid. The difference in stability is due to the effect of the  
steric arrangement. The authors thank Viera Gregorova for part of the work  
(r-DBTA), which was done within the framework of work toward a degree. Orig. art.  
has: 2 figures and 1 table. [JPRS]

SUB CODE: 07 / SUBM DATE: 16Jul64 / ORIG REF: 009 / OTH REF: 006  
SOV REF: 001  
Card 1/1

L 31395-66 EWP(j) RM  
ACC NR: AP6021112

SOURCE CODE: CZ/0043/65/000/012/0381/0891

AUTHOR: Kratsmar-Snogrovic, Juraj--Krechmar-Shnogrovich, Yu. (Docent; Doctor; Pharmacist; Candidate of sciences; Bratislava); Jokl, Vladimir--Yokl, V. (Docent; Doctor 39 of natural sciences; Pharmacist; Candidate of sciences; Bratislava) 37 B

ORG: Department of Inorganic and Organic Chemistry, Pharmaceutical Faculty, Comenius University, Bratislava (Katedra anorganickej a organickej chemie Farmaceutickej fakulty Univerzity Komenského); Department of Analytical Chemistry, Pharmaceutical Faculty, Comenius University, Bratislava (Katedra analytickej chemie Farmaceutickej fakulty Univerzity Komenského)

TITLE: Complex compounds of Cu<sup>I</sup> with organic ligands (I). Contribution to the chemistry of coppersalicylate complexes

SOURCE: Chemické zvesti, no. 12, 1965, 881-891

TOPIC TAGS: spectrophotometry, electrophoresis, organocopper compound, crystallization, dehydration

ABSTRACT: At pH 4 the dihydrate of Di(salicylate)diaquo-Cu<sup>II</sup> complex is formed; the compound does not form chelates. When the concentration of the raw materials is high enough, the compound crystallizes out of the solution. The molar concentration of a saturated water solution of the dihydrate of the di(salicylate)diaquo-Cu<sup>II</sup> complex is  $2.46 \cdot 10^{-2}$  at 20°C, and  $6.82 \cdot 10^{-2}$  at 50°C.

Card 1/2

L 31395-66

ACC NR: AP6021112

2  
The compound loses water at atmospheric temperatures; at 85-90°C complete dehydration takes place; the process is reversible. The composition of the compound was investigated by paper electrophoresis and spectrophotometry; the product is stable at pH 6-7.

The authors thank Graduate Physicist T. Obert for help in measuring the absorption spectrum and Graduate Pharmacist V. Hartelov for the elementary analysis. Orig. art. has: 3 figures and 1 table. [JPRS]

SUB COE: 07 / SUBM DATE: 24Aug65 / ORIG REF: 004 / OTH REF: 012  
SOV REF: 001

Card 2/2 CC

*Paul Abstracts*  
JOKLIK, A.

*Properties & Treatment of*

3381. CARBON MONOXIDE FREE TOWN GAS. Bilz, K., Joklik, A. and Wiener Stadtwerke (Austrian P. 168,386/1951, abstr. in Chem. Abstr., 1952 vol. 46, 6814). Part of the natural or coal gas used for producing town gas is branched off and subjected to cleavage and oxidation at raised temperatures. The oxidized and cracked mixture is then cooled and reacted with steam at approximately 400°. The treated gas is then mixed with the untreated part of natural and coal gas. The resulting mixtures are practically carbon monoxide-free and less poisonous than the usual town gas compositions. The process and plant are described in detail and illustrated. C.A.

JOKLIK, J.: BAZANT, V.

"A capillary tube crusher for use in gas chromatography"

Chemicke Listy. Praha, Czechoslovakia. Vol. 53, no. 3, Mar 1959

Monthly list of East European Accessions (EEAT), LC, Vol. 8, No. 7, July 59, Unclass

S/081/62/000/009/033/075  
B158/B101

AUTHORS: Joklik, J., Bazant, V.

TITLE: Organosilicon compounds. XXII. The effect of impurities in silicon on direct synthesis of methylchlorosilanes

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 9, 1962, 275-276, abstract 9Zh288 (Collect. Czechosl. Chem. Commun. v. 26, no. 2, 1961, 417 - 426)

TEXT: The direct synthesis of methylchlorosilanes from  $\text{CH}_3\text{Cl}$  and chemically pure Si, leading to the formation of  $\sim 90\%$   $(\text{CH}_3)_2\text{SiCl}_2$  (I), is described. The effect of impurities in the contact mass on the composition of the reaction products and the effect of  $\text{Cl}_2$ ,  $\text{HCl}$  and  $\text{H}_2$  were studied. Addition of 1-3% Al increases the content of the side products  $\text{CH}_3\text{SiCl}_3$  (II) from 3.5 to 9.2% and the content of  $(\text{CH}_3)_3\text{SiCl}$  (III) from 1.1 to 5.7%, reducing the content of I from 89.1 to 78.1%. In the presence of  $\text{AlCl}_3$ , the high

Card 1/2.

Organosilicon compounds. ...

S/031/62/000/009/033/075  
B158/B101

methyated silanes are converted to low methyated silanes.  $\text{NaAlCl}_4$  has the same effect. C impurity (up to 2%) has no essential effect on the composition of the reaction products. The presence in the contact mass of C and  $\text{AlCl}_3$  reduces the content of I in the reaction products to 50% or less. The effect of Fe impurity is negligible; addition of  $\text{FeCl}_3$  causes an increase in the  $\text{CH}_3\text{SiHCl}_2$  (IV) content to 5%; additions of Ti and  $\text{CuTiCl}_4$  cause an appreciable formation of II and III; addition of Zn has the same effect. The presence of chlorine and HCl impurities in the  $\text{CH}_3\text{Cl}$  leads to IV and  $\text{HSiCl}_3$ , while  $\text{H}_2$  impurity has no effect. The apparatus is described. [Abstracter's note: Complete translation.] ✓

Card 2/2

S/081/62/000/009/034/075  
B158/B101

AUTHORS: Joklik, J., Kraus, M., Bazant, V.

TITLE: Organosilicon compounds. XXIII. The kinetics of the reaction between methyl chloride and chemically pure silicon in the presence of a copper catalyst

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 9, 1962, 276, abstract 9Zh289 (Collect. Czechosl. Chem. Commun., v. 26, no. 2, 1961, 427 - 435)

TEXT: The velocity of the reaction between  $\text{CH}_3\text{Cl}$  and pure Si in the presence of Cu in a stationary apparatus ( $280-320^\circ\text{C}/100-1200$  mm Hg) was studied. The basic reaction product (up to 90%) is  $(\text{CH}_3)_2\text{SiCl}_2$ . The reaction induction period (1-3 hours) depends on the purity of the Si surface. The reaction rate depends, moreover, on the pressure of the  $\text{CH}_3\text{Cl}$ , temperature, and Cu content in the contact mass. The mechanism of the reaction is discussed. [Abstracter's note: Complete translation.]

Card 1/1



S/081/62/000/019/017/053  
B144/B180

AUTHOR: Joklik, J.

TITLE: Partition of ethyl chlorosilanes by gas-liquid chromatography

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 19, 1962, 128, abstract  
19D150 (Collect. Czechosl. Chem. Commun., v. 26, no. 8, 1961,  
2079 - 2080 [Ger.; summary in Rus.])

TEXT: A method was developed for analyzing the products of the synthesis of ethyl chlorosilanes (ref. 19Zh245) by gas-liquid chromatography at 90°C in a column containing 5.55 g methyl silicone oil MSO 150 per 55.50 g of pulverized facing tile (grain size 0.2 - 0.3 mm), at an N<sub>2</sub> gas developer rate of 74.5 ml/min, with detection by heat conduction. Separation of ethyl chlorosilane alone or diethyl chlorosilane alone was not possible by this method. The relative elution volumes are indicated for C<sub>2</sub>H<sub>5</sub>Cl and 8 ethyl chlorosilanes. [Abstracter's note: Complete translation.] ✓

Card 1/1

8/081/63/000/004/013/051  
B166/B185

AUTHORS: Joklik, J., Kraus, M., Bažant, V.

TITLE: Silicones. XXIX. Kinetics of the direct synthesis of methylbromosilane

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 4, 1963, 212, abstract 4Zh27 (Collect. Czechosl. Commun., v. 27, no. 4, 1962, 974-978 [Ger.; summary in Russ.])

TEXT: The reaction rate is studied of  $\text{CH}_3\text{Br}$  with pure Si, catalyzed with Cu, in a static installation at 100 - 1,000 mm Hg and 240 - 280°C. The results are correlated by means of the relation derived earlier for  $\text{CH}_3\text{Cl}$ . It was found that the reaction of  $\text{CH}_3\text{I}$  with Si, using a Cu or Ag catalyst, at 280-350° gives tetraiodosilane instead of methylbromosilane. Apparently the methylbromosilane which is formed decomposes and the decomposition products block the active surface of the contact mass; however, it is also possible that the  $\text{CH}_3\text{I}$  decomposes. The reactions of Cu and Ag halides with Si were also studied. The author considers that the reaction of alkyl  
Card 1/2

Silicones. XXIX. Kinetics of the...

S/081/63/000/004/013/051  
B166/B186

halides with Si takes place during adsorption associated with dissociation, in which case the alkyl is adsorbed on the copper and the halide on the Si. Bromine atoms lower the electron density of Si less than chlorine atoms, which to a great extent promotes substitution of the electrophilic  $\text{CH}_3$  group at the Si. This process agrees with the results of kinetic measurements. For communication XXVIII see RZhKhim, 1962, no. 19, 19Zh245. [Abstracter's note: Complete translation.]

Card 2/2

JOKLIK, J.; BAZANT, V.

Organic silicon compounds. Pts. 33-34. Coll Cz Chem 29 no. 3:  
603-609, 834-837 Mr '64.

1. Institute of Theoretic Principles of Chemical Technology,  
Czechoslovak Academy of Sciences, Prague.

JOKLIK, O. F.

Distr: 4E3d

Preparation of 2,6-di-*tert*-butyl-4-methylphenol as gasoline inhibitor and antioxidant by alkylation of *p*-cresol with isobutylenes. Otto F. Joklik. *Prakt. Chem.* 19, 499-509, 536-8 (1959).—The production and use of the title compd. (I) is discussed. Thus,  $\text{CH}_2=\text{CMe}_2$  (3.2 l./hr.) is introduced into a mixt. of 108 g. *p*-cresol and 2.4 g. 96%  $\text{H}_2\text{SO}_4$ , 16 hrs. at 40°, 500 ml.  $\text{H}_2\text{O}$  added, the mixt. boiled 3.5 hrs., and then cooled to give crude I; this is washed with 500 ml.  $\text{H}_2\text{O}$  and 2 × 150 ml. 2:1 EtOH- $\text{H}_2\text{O}$  to yield 158 g. white I, m. 65°. Another 20 g. I is obtained from the filtrate. Equipment and costs for a plant to produce 110 tons I yearly are given in detail. Otto S. Kauder

CAW

cas

2  
1-Bu (P.L.)

JOKOBOVITS, ANTAL

KOVACS, Kalman; BACHRACH, Denes; JOKOBOVITS, Antal; KORVATH, Eva;  
KORTASSY, Bela

Effect of thirst on the hypothalamo-pituitary system in rats.

Kiserletes orvostud. 6 no.3:202-209 May 54.

(PITUITARY GLAND, physiology,

eff. of thirst on hypothalamo-pituitary system in rats)

(HYPOTHALAMUS, physiology,

eff. of thirst on hypothalamo-pituitary system in rats)

(THIRST, effects,

on hypothalamo-pituitary system in rats)

ARSIC, Bogoljub, sanitetski pukovnik doc. dr.; ZISOVSKI, Angel, sanitetski potpukovnik dr.; MIJUSKOVIC, Punisa, sanitetski kapetan I klase dr.; RADOVANOVIC, Miroslav, sanitetski kapetan dr.; NIKOLIC, Bozidar, sanitetski potpukovnik dr.; SOKOLOVSKI, Borivoje, sanitetski kapetan I klase dr.; DORDEVIC, Dusan, sanitetski major dr.; MEL, David, sanitetski pukovnik dr.; JOKOVIC, Bozidar, sanitetski kapetan dr.; MIJUTINOVIC, Milan, kapetan dr.

Clinical picture of acute bacillary dysentery in soldiers of the Yugoslav National Army. Vojnosanit. pregl. 22 no.6:394-397 Je '65.

1. Zarazno odeljenje, Higijensko-epidemioloski odred u Skoplju, Vojnomedicinska akademija u Beogradu, Klinika za zarazne bolesti.

L 35260-66 ETI/EWP(t) IJP(c) JD

ACC NR: AP6024699

SOURCE CODE: CZ/0038/65/000/012/0456/0459

AUTHOR: Rosicka, Vlasta; Joks, Zdenek

ORG: State Research Institute of Material, Prague (Statni vyzkumny ustav materialu)

TITLE: Study of carbon and sulfur diffusion in sulfonitrided coatings

SOURCE: Jaderna energie, no. 12, 1965, 456-459

TOPIC TAGS: physical diffusion, metal coating, radiometry, autoradiography

ABSTRACT: The article describes experiments to determine carbon and sulfur diffusion in sulfonitrided coatings radiometrically and autoradiographically. The results are presented graphically and compared numerically with the chemically determined values. Photographs of the coating sections are presented. This article was presented by V. Doksansky. The authors thank Docent, Doctor Kubal and Graduate Chemist Benesova at Radiological Dosimetry, Institute of Nuclear Research, CSAV, for providing the nuclear emulsions, which helped solve the problems. Orig. art. has: 8 figures and 1 table. [JPRS: 34,666]

SUB CODE: 11, 20 / SUBM DATE: none / ORIG REF: 007 / OTH REF: 001

Card 1/1 *llb*

DUC: 669-151.3 669.77/.78 548.526



JOKSIC, V.

Injection system of Vria Dam No. 2, Pt. 2, p. 361, TEHNIKA, (Savez inzenjera i tehnicara Jugoslaviije) Beograd, Vol. 9, No. 3, 1954

SOURCE: East European Accessions List (EEAL) Library of Congress,  
Vol. 5, No. 8, Aug. 1956

JOKSIC, V., inz. (Beograd)

In remembrance of Nikola Tesla. Tesla no.15/16:2-4 H-D '55.

JOKSIC, V.; HVOJ, J.

JOKSIC, V.; HVOJ, J. The Iron Gate as a navigable highway and a source of power. p. 505.

Vol. 9, No. 9/10, Sept./Oct. 1956.

ELEKTROPRIIVREDA

TECHNOLOGY

Beograd, Yugoslavia

So: East European Accession, Vol. 6, No. 2, February 1957

JOKSIC, Vitomir, inz. (Hadzi Milentijeva 58, Beograd)

Continuous concrete partition, diaphragm. Tehnika Jug  
17 no.6:Suppl.: Gradevinarstvo 16 no.6:1059-1063 Je '61.

1. Tehnicki savetnik "Energoprojekta," Beograd.

JOKSIC, Vitomir, inz.

"Contribution to the study of river mouths" by [dr inz., sef Hidraulicke laboratorije na Avali] Mihajlo Vojinovic. Reviewed by Vitomir Joksic. Elektroprivreda 16 no.5:254-255 My '63.

JOKSIC, Vitomir, inz.

"Some problems of arched dams studied on models" by [inz.]  
Dusan Milanovic. Reviewed by Vitomir Joksic. Elektroprivreda  
16 no.8:404-405 Ag '63.

"Directions for the projecting and execution of injection works."  
Reviewed by Vitomir Joksic. 404

JOKSIC, Vitomir, inz.

First project of the hydroelectric power plant in Derdap.  
Elektroprivreda 16 no.9:450-455 S '63.

JOKSIC, Vitomir, M., inz.

Corrosion of concrete in electric industries. Elektropri-  
vreda 16 no.10:501-503 0\*63.



JOKSIC, Z.

The importance of taking samplings of stone for investigation.

p. 63 (Put I Saborcaj) No, 1/3, Jan./Mar. 1957, Belgrade, Yugoslavia

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

JOKSIC, Z.

The application of soil mechanics in the construction of roads in Serbia. p. 43.

PUT I SAOBRAĆAJ. (Društvo za puteve Srbije)  
Beograd, Yugoslavia. Vol. 4, no. 7/10, July/Oct. 1958.

Monthly list of the East European Accessions (EEAI) LC, Vol. 8, no. 8, Aug. 1959.

Uncl.

JOKSIC, Zdravko, inz., asistent

Analysis of the causes accounting for the damages to the pavement of certain sections of the highway built throughout Serbia in 1959. Soap Inst isp mat Srb 11 no.20:37-51 Ag '63.

1. Institut za ispitivanje materijala SR Srbije, Beograd.

JOKSIC, Zdravko, dipl. inz., asistent

Correlation between the value of the  $M_c$  compressibility modules and the degree of compactness in coarse grain noncohesive materials; factors which influence obtained values. Saop Inst isp mat Srb 12 no.21:11-21 Ag '64.

1. Institute of Testing Materials of Serbia, Belgrade.

JOKSIMOVIC, H. M.

Jovan Grcic-Milenko, doctor of medicine, literator and writer.  
On the occasion of 80th anniversary of his death. Med. glasn.  
9 no.9:351-352 Sept 55.

(BIOGRAPHIES,  
Grcic-Milenko, Jovan.(Ser))

JOKSIMOVIC, H. M.

Jovan Sterija Popovic. Med. glas. 10 no.6:254-256 June 56.

(FAMOUS PEOPLE

Popovic, Jovan Sterija, med. theories in his works. (Ser))

JOKSIMOVIC, Hronislav

Mortality in malignant neoplasms according to tabulations in  
Serbia in 1952. Srpski arh. celok. lek. 84 no.5:623-629 May 56.

(NEOPLASMS, statistics,  
morta. in Yugosl. (Ser))

JOKSIMOVIC, H.M.

~~XXXXXXXXXX~~  
Dimitrije Davidovic, physician, journalist, health law-maker.  
Med. glas. 11 no.2:77-79 Feb 57.

(BIOGRAPHIES

Davidovic, Dimitrije (Ser))



JOKSIMOVIC, M.; JOVANOVIC, D.

General solution of the Nixsic basin problem. p. 1316.  
Vol. 9, No. 9, 1954. TEHNIKA, Beograd, Yugoslavia.

SOURCE: East European Accessions List (EEAL) Library  
of Congress, Vol. 5, No. 8, August, 1956

JOKSIMOVIC, MILUTIN

Odredivanje velikih voda u slivu Velike Morave. 1958. 70 p.

Beograd, Yugoslavia

Monthly list of Eastern European Accession Index (EEAI) DJ vol. 8, No. 11  
November 1959  
Uncl.

HENEBERG, Dorde, sanitetski pukovnik docent dr.; MORELJ, Marjan, general-major sanitetske sluzbe profesor dr.; MITIC, Aleksandar, sanitetski pukovnik dr.; MARINCEVIC, Predrag, sanitetski pukovnik dr.; KOSTIC, Dobrivoj, sanitetski kapetan I klase dr.; MILOSAVLJEVIC, Zivadin, sanitetski kapetan dr.; JOKSIMOVIC, Petar, sanitetski porucnik dr.; MILOSAVLJEVIC, Toma, sanitetski porucnik dr.

Controlled field experiment of chemoprophylaxis against influenza by flumidin in a unit of the Yugoslav People's Army. Vojnosanit. pregl. 22 no.12:754-757 D '65.

1. Vojnomedicinska akademija u Beogradu; Higijenski zavod; Klinika za uho-grlo-nos.

JOKSIMOVIC, Vojin, inz.

Problems and prospects of nuclear-power engineering in  
Great Britain. Elektropriroda 17 no. 1; 41-45 Ja '64.

JOKSIMOVIC, V., ing.

British thermonuclear research. Elektroprivreda 14 no.9:496-497  
S '61.

JOKSIMOVIC, V., ing.

Histroical moment in the development of nuclear power. Elektroprivreda  
14 no.10:554-555 0 '61.

JOKSIMOVIC, Vojin, inz.

Nuclear-energy program of France. Elektroprivreda 15 no.1:56-60  
Ja '62.

JOKSIMOVIC, Vojin, inz.

Nuclear program in Italy. Elektroprivreda 15 no.2/3:137-138  
F-Mr '62.

1. "Energoprojekt," Beograd.



JOKSIMOVIC, V., inz.

Technology of nuclear reactors in 1961. Elektroprivreda  
15 no.4:202-203 Ap '62.

JOKSIMOVIC, V., inz.

New nuclear-power stations in England. Elektroprivreda  
15 no.5:265-268 My '62.

1. Energoprojekt, Beograd.

JOKSIMOVIC, Vojin, inz.

Technology of reactors in 1962. Elektroprivreda 16 no.11/12:  
589-592 N-D '63

JOKSIMOVIC-TJAPKIN, S.

Koncar-Durdevic, S. Joksimovic-Tjapkin, S.

"A photoelectric colometer for the colorimetric analysis of small surfaces." p. 369.  
(Glasnik, Vol. 17, No. 6, 1952, Beograd.)

SO: Monthly List of East European Accessions, Vol. 2, No. 9, Library of Congress, September 1953, Uncl.

JOKSIMOVIC-TAPKIN, S.

3

An adsorption method for semiquantitative determination of colored materials in very dilute solution. S. Joksimovic-Tapkin and S. Jankovic, *Inst. Inorg. Technol., Belgrade, Yugoslavia*. *Anal. Chem. Acta* 10, 346-56 (1954) (in English).—An adsorption method is described for the semiquant. detn. of very dil. "colorless" solns. of colored materials. Filter-paper disks upon which a suspension of silica gel had been sprayed were mounted in a special cell, and the solns. were passed through these. By concg. the colored material by means of isothermal equil. adsorption on an adsorbent of limited area and thickness, visibly colored surfaces were obtained which could be used for detg. the unknown concns. by colorimetric measurements in diffusely reflected light. Landon A. Sarver

10-14-64

mlf

JOKSIMOVIC-TJAPKIN, S.

Detection and determination of carbon monoxide in the  
air. p. 245. Vol. 11, No. 2, 1956. TEHNIKA. Beograd,  
Yugoslavia.

SOURCE: East European Accessions List, (EEAL) Library  
of Congress, Vol. 5, No. 8, August, 1956.

COUNTRY : Yugoslavia B-5  
CATEGORY :  
ABS. JOUR. : RZKhim., No. 22 1959, No. 77605  
AUTHOR : Tjapkin, D. and Joksimovic-Tjapkin, S.  
INST. : Not given  
TITLE : Determination of the Purity of Powdered Silicon  
by Measuring the Electric Conductivity of the  
Electrolyte [sic]  
ORIG. PUB. : Tehnika, 13, No 10 (1958); Elektrotehnika, 7,  
No 10, 166-169 (1958)  
ABSTRACT : No abstract.

CARD: 1/1

JOKUTI, F.

Method of estimating building and dwelling conditions in Debrecen, its result and experiences. p. 171.

EPITESUGYI SZEMLE. Budapest, Hungary. No. 6, 1969.

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no. 1, Jan. 1960.

Uncl.



JOLANAI, Gy.

"Minimum Quantity of Running Water to be Left in the Tsza River After Its Canalization", P. 329, (HIDROLÓGIAI KOZLONY, Vol. 33, No. 9/10, Sept./Oct. 1953, Budapest, Hungary)

SO: Monthly List of East European Accessions (FEAL), IC, Vol. 4, No. 3, March 1955, Uncl.

JOLANKAI, Gyula

Storage of the Danube water on the hillside area due to the  
water shortage in the northern part of the Tisza Valley.  
Vizugyi kozl no.1/2:3-21 '57.

JOLANKAI, GY.

Supplementing the water deficit of the northern section of the Tisza valley by storing water led from the Danube in a hilly area.

P. 3 (VIZUGYI KOZLEMPENYEK) Budapest, Hungary Vol. (39) No.1/2, 1957.

SO: Monthly Index of East European Acessions (AEEL) Vol. 6, No. 11 November 1957.

JOLESZ, Laszlo

"Recollections on Endre Ady", edited by Miklos Kovalovszky.  
Vol. 1. Reviewed by Laszlo Jolesz. Magyar Tud. no. 1: 72-73  
Jan 63.

1. Magvető Könyvkiadó főszerkesztője.

ACC NR: AP6034786

SOURCE CODE: PO/0045/66/030/002/0237/0250

AUTHOR: Mikhailov, I. N. ; Jolos, R. V.

ORG: Laboratory of Theoretical Physics, Joint Institute for Nuclear Research, Moscow

TITLE: A method for solving the nucleon-phonon interaction problem

SOURCE: Acta physica polonica, v. 30, no. 2, 1966, 237-250

TOPIC TAGS: nucleus, spheric nucleus, nucleon, phonon, nucleon phonon interaction, fermion, Schrodinger equation, fermion state, excitation energy resonance, Tailor coefficient

ABSTRACT: A method for solving the Schrodinger equation for fermions interacting with phonons in the case of a sufficiently small number of different fermion states is suggested. The problem of one type of scalar phonon coupling the orbitals of two energy levels in a spheric nucleus is used as an example. Generating functions of a complex variable  $z$  were introduced, and the Taylor coefficients of the functions were related to the probability amplitudes of the  $n$ -phonon excitation in an eigenstate of the system. The solution of the Schrodinger equation is

Card 1/2

ACC NR: AP6034786

obtained by finding the integrals of a system of first-order differential equations, which are given by entire functions. Such solutions are found within the limits of a weak and strong coupling, and in the special case of resonance between the phonon and nucleon excitation energies. The authors thank their colleagues at JINR for their helpful criticism, and particularly L. Zastavenko and E. B. Balbutzev. The author Mikhailov expresses his gratitude to J. Bang (N. Bohr's Institute, Denmark) for the numerous discussions which helped to lay the groundwork for this study. Orig. art. has: 69 formulas. [Based on authors' abstract]

[DR]

SUB CODE: 20/ SUBM DATE: 16Feb66/ ORIG REF: 004/ OTH REF: 008/

Card 2/2

JOLSVAI, Vilmos

In fight for the workers' power; February 1919. Munka 9  
no.2:12 F '59.

1. Szakszervezetek Orszagos Tanacsa munkatarsa.


JOLY, M

/ Mechanical and optical investigations on structure of colloidal  
solutions. D. G. Derjaguin, M. Joly, and R. S. Titchner. *Journal of  
1954. 28: 6-19. — Rheological and optical properties of water.*



"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619630009-7



APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619630009-7"

JOMBIK, J.; MAJER, J.; SCHILLER, P.

Analytical methods based on reflection and absorption of radioactive radiation. II. Radiometric determination of ash in plant drugs. Cesk. farm. 13 no. 5:241-245 Jo '64.

1. Katedra analytickej chimie Farmaceutickej fakulty UK, [University Komenskeho], Bratislava.

JOMBIK, Jozef; MAJER, Jaroslav; SCHILLER, Pavel

Radiometric determination of ash content in drugs.  
Jaderna energie 10 no. 2:51-52 F '64.

1. Radioizotopove oddelenie Farmaceutickej fakulty  
Univerzity Komenskeho, Bratislava.

SCHILLER, Pavel, dr., inz., CSc.; JOMBÍK, Jozef, PhMr.

Nondestructive radiometric determination of bromine in some pharmaceutical preparations. Chem zvesti 17 no.9:685-688 '63.

1. Radioizotopové oddelenie Katedry analytickej chémie, Farmaceutická fakulta, Univerzita Komenského, Bratislava, ulica Gdbojarov 12.

JOMBIK, Julius, inz.

~~Some present problems of planning. Pod org 17 no.7:308-309~~  
JI '63.

1. Podpolianske strojarne, Detva.

VAPTZAROV, I.; VASSILEV, V.; JOMTOV, M.

On the problem of atypical hypo (a) gamma globulinemias. Apropos of a case. Folia med. (Plovdiv) 7 no.2:83-91 '65.

1. Institut de Hautes Etudes Medicales "I.P. Pavlov" de Plovdiv, Bulgarie. Chaire des Maladies Infantiles (Directeur: prof. I. Vaptzarov) et Institut de Recherches Scientifiques de Medecine Experimentale de Sofia, Bulgarie (Directeur: I.S. Rangelova).

~~C.A.~~ JONA, Gaber

The clinical evaluation of the Phillips-Van Slyke protein determination in serum. Gábor Jóna, Géza Lukn, and Éva Szabó (Univ., Debrecen, Hung.). *Kísérletes Orvostudomány* 1, 83-6(1940).—The results of 80 parallel detns. with the Kjeldahl and the Phillips-Van Slyke methods (C.A. 44, 5052d) proved the suitability of the latter in clinical practice. In the calcn. of the results the factor  $K$  was taken as 301.0. István Finály

FILIPP, G.; KELENHEGYI, M.; JONA, G.

Organ-shock in liver. Acta med.hung. 2 no.1:171-180 1951.  
(CIML 20:7)

1. Of the Internal (Director--Prof. Fornet) and Surgical  
(Director--Prof. J. Loessl) Clinics of Debrecen University  
(Research on experimental animals).



KULCSAR, Andras, dr.; TOMPA, Gyula, dr.; JONA, Gabor, dr.; MANDI, Istvan, dr.;  
PREKOPA, Almos, dr.

Diagnosis and arteriographic localization of pheochromocytoma  
with the application of regitin as a contrast medium. Orv.hetil.  
101 no.47:1678-1680 20 N°60.

1. Debreceni Orvostudományi Egyetem, I. sz. Belklinika és II.  
sz. Sebészeti Klinika.  
(PHEOCHROMOCYTOMA diag)

JONA, Gabor, dr.; FORGON, Mihaly, dr.

Experimental data on roentgen therapy of acute pancreatitis. Magyar  
radiol. 13 no.2:100-104 Mr '61.

1. A Debreceni Orvostudományi Egyetem II. és I. sz. Sebészeti  
klinikájának közleménye.  
/ (PANCREATITIS radiother)

JONA, (abor, dr.; SZABO, Lasso, dr.; TASNADI, Lasso, dr.

A case of left gallbladder. Magy radiol. 13 no.2:115-117 Mr '61.

1. A Debreceni Orvostudományi Egyetem II. sz. Sebészeti Klinikájának  
on a Jász-Bihar Megyei Rendelőintézet Röntgensztályának közleménye.  
(GALLBLADDER abnorm)

HUNGARY

KELEMEN, Janos, Dr, JONA, Gabor, Dr, BERTA, Istvan, Dr; Medical University of Debrecen, Radiological Clinic (deputy director: JONA, Gabor, Dr) (Debreceni Orvostudományi Egyetem, Röntgenklinika).

"Experiences Related to the Risks and Side Effects Involved in the Intralymphatic Injection of Superfluid Iodine-Oil Contrast, on the Basis of 86 Cases."

Budapest, Orvosi Hetilap, Vol 107, No 46, 13 Nov 66, pages 2166-2171.

Abstract: [Authors' Hungarian summary] On the basis of 86 observed cases, the complications and side effects which may arise from oil-contrast lymphography are discussed. The technique of finding the lymphatic vessels is accompanied by a transient discoloration of the patients' skin (86 cases). Local inflammation (1 case), suppuration, pain in the extremity (24 cases), lymphatic vessel rupture (1 case) can be avoided by using correct technique. Injection of the contrast into the vein by error did not occur among the cases reported. The possibility exists that tumor cells will be spread further by the method. In one patient, metastasis in the Virchow's lymph node was observed following lymphography although a causal relationship could not be proven. Fever, chills were encountered in 5 cases, X-ray findings indicative of oil-microembolism in 6 cases, X-rays indicative of bronchopneumonia which corrected itself without treatment in 2 cases. The problems of prevention of lymphographic complications and those of the indications for such examination

JONA, Dr. Gabor; SZATAI, Dr. Imre; and PETER, Dr. Mozes; X-Ray Clinic (Röntgenklinika), Debrecen.

"Bilateral Breast Cancer in the Patient Material of Our Clinic. Some Aspects of Metastasis"

Budapest, Magyar Onkologia, Vol 10, No 4, Dec 1966, p 200.

Abstract: A statistical survey is offered of the more than 500 patients treated at authors' clinic for breast cancer. 35 of these patients had bilateral breast cancer, generally in an advanced stage. Authors conclude that in the majority of cases of bilateral breast cancer one of the tumors is a metastasis, and only in about 10% of the cases are both tumors primary. No references.

JONA, I.

ROTH, M.; JONA, I.

Percutaneous splenoportography. *Magy. radiol.* 5 no. 4:151-153 Nov 1953.  
(GLML 25:5)

1. Doctors. 2. Clinic for Advanced Training in Surgery (Director --  
Prof. Dr. Imre Littmann), Budapest Medical University.

JONA, Istvan, dr.

The lower left arch of the heart shadow. Magy. radiol. 7 no.4:  
238-240 Oct 55.

1. Budapesti Orvostudományi Egyetem Sebész Továbbképző Klinikája.  
(Igazgató: Littmann, Imre dr. egyetemi tanár) Röntgen-  
laboratóriumának (vezető: Jona, Istvan dr. egyetemi docens)  
közleménye.

(HEART, radiography  
in mitral stenosis, interpretation of the lower left  
arch of the heart shadow.)

(MITRAL STENOSIS, diagnosis  
x-ray interpretation of the lower left arch of the  
heart shadow.)

LITTMANN, Imre, dr.,; KUNOS, Istvan, dr.,; TEMERSVARI, Antal, dr.,;  
ROBICSEK, Ferenc, dr.,; JONA, Istvan, dr.

Results in 200 cases of commissurotomy. Orv. hetil. 96 no.26:  
701-708 26 June 55

1. A Budapesti Orvostudományi Egyetem Sebesztovábbképző Klinikájának  
(igazgató: Littmann Imre dr. egyet. tanár) közleménye.

(MITRAL STENOSIS, surgery,  
commissurotomy, results)

ROTH, Miklos, dr.; JONA, Istvan, dr.

Importance of percutan in splenoportographic diagnosis. Orv.  
hetil. 96 no.29:785-790 17 July 55.

1. A Budapesti Orvostudományi Egyetem Sebész Továbbképző Klinikájának  
(igazgató: Littmann Imre dr. egyet. tanár) közleménye.

(ANGIOGRAPHY,

splenoportography, percutan in)

(SPLEEN, blood supply,

splenoportography, percutan in)

(VEINS, PORTAL SYSTEM, radiography,

splenoportography, percutan in)



JONA, Istvan, dr.; TEMESVARI, Antal, dr.; ROBICSEK, Ferenc, dr.;  
KERPEL, Marta, dr.

K-ray picture of heart catheterization. Magy. radiol. 8 no.1:  
4-12 Feb 56.

1. A Budapesti Orvostudományi Egyetem Sebesztovábbképző  
Klinikájának (igazgató: Littman, Imre dr. egyetemi tanár)  
közleménye.

(HEART

catheterization, diag. value in congen. cardiovasc.  
defects & circ. disord. (Hun))

LITTMANN, I.; KUNOS, I.; TEMESVARI, A.; ROBICSEK, F.; JONA, I.

Experience with 260 mitral commissurotomies. Acta med. hung.  
9 no.1-2:67-84 1956

1. Chirurgische Fortbildungsklinik der Medizinischen Universität,  
Budapest.

(MITRAL STENOSIS, surg.  
commissurotomy)

JONA, ISTVAN

Röntgenfelveteli technika. 2. bőv. kiad. Budapest, Hungary, Medicina, 1957.  
171 p.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 11, November 1959,  
Uncl.

JONA, Istvan

stages of the lungs and hilus. Orv. hetil. 98 no.33:894-898 18 Aug 57.

1. A Budapesti Orvostudományi Egyetem IV. sz. Sebészeti Klinikája  
igazgató: Kudasz József dr egyet. tanár) Röntgenlaboratóriumának (vezető:  
Jona István dr. egyetemi docens) közleménye.  
(LUNGS, radiography  
in various cardiovasc. defects (Hung))

JONA, Istvan, dr.

Cardiac roentgenogram in mitral stenosis. Magy radiol. 12 no.4:  
202-205 N°60.

1. A Budapesti Orvostudományi Egyetem IV. sz. Sebészeti Klinika  
(igazgató Kudasz József dr., egyetemi tanár) Röntgenlaboratóriumának  
(vezető: Jona István dr. egyetem docens) közleménye.  
(MITRAL STENOSIS radiog)

JONA, Istvan, dr.; LÁSZ, Margit, dr.; HELGYESI, Árpád, dr.

On lymphadenography. (rv. heli). 106 no.2:67-75 Jan 10 1965

1. Országos Onkológiai Intézet, Röntgenlaboratórium (vez. Jona Istvan, dr) és Endoszkopos Laboratórium (vez. : Viskó, János, dr.).

JONA, Istvan, dr.; FENYES, Zsuzsa, dr.; KARIKA, Zsigmond, dr.; LOKOS,  
Margit, dr.

The use of radioisotopes in the examination of the lymphatic  
system. Orv. hetil. 106 no.49:2325-2327 15 D ' 65

1. Országos Onkológiai Intézet, Röntgenlaboratórium és  
Izotóp Osztály.

I. 39908-66

ACC NR: AP6029388

SOURCE CODE: HU/0021/65/000/006/0365/0369

AUTHOR: Jona, Istvan—Yona, I. (Doctor); Gyorgyne, Fenyves (Doctor); Karika, Z.—  
Karika, Zh. (Doctor); ~~Lokos, Margit~~—Lokosh, M. (Doctor)

29  
B

ORG: Radiological Laboratory, National Oncological Institute (Orszagos Onkologiai Intezet rontgenlaboratoriuma); Isotope Department, National Oncological Institute (Orszagos Onkologiai Intezet izotop osztalya)

TITLE: Comparative lymphographic examinations using contrast material and radioisotopes

22

SOURCE: Magyar radiologia, no. 6, 1965, 365-369

TOPIC TAGS: radioisotope, radiology

ABSTRACT: Indirect isotopic lymphography is a simple and rapid procedure for orientation concerning the condition of the abdominal and pelvic lymph nodes. In our experience, it does not reveal the early, smaller changes although the presence of more pronounced changes is clearly indicated by the scintigram. The test is, therefore, suited for an initial, rapid orientation. In the case of uncertain results, however, radiolymphography and perhaps cavography should also be performed. Orig. art. has: 4 figures. [JPRS: 34,161]

SUB CODE: 06, 18 / SUBM DATE: none / OTH REF: 013

Card 1/1

0917 260-24



HUNGARY

POLYANSZKY, Dr Tibor; LOKOS, Dr Margit; and JONA, Dr Istvan, National Institute of Oncology (Orszagos Onkologiai Intezet).

"Importance of Lymphadenography in the Diagnosis of the Cervical Metastases of Throat Tumors"

Budapest, Magyar Onkologia, Vol 10, No 4, Dec 1966; pp 219-220.

Abstract: In the treatment of extensive throat tumors in which the elimination of infiltrated or potentially infiltrated lymph nodes is indicated, great help would be rendered by a method which makes it possible to detect the beginning pathological changes in the lymphatic system. Cervical lymphadenography seems to be such a method. Although this method has been applied only in the case of a limited patient material, authors consider it to be such that its widespread application as a diagnostic tool is recommended. No references.

1/1

28

*JONA, M.*

SOS, J.; KEMENY, T.; with the technical assistance of M. Schnell and M. Jona.

On the mode of action of methionine deficiency. Acta physiol.  
hung. 17 no.3:355-360 '60.

1. Institute of Pathophysiology, Medical University, Budapest.  
(METHIONINE defic)

JONA, M.

SCS, J.; CSALAY, L.; GATI, T.; KEMENY, T.; KERTAI, P.; NAGY, E.; PERENY, L.;  
SZABO, G., Technikai Asszisztensek: SCHNELL, M.; JONA, M.

Antityrosine compounds. Kiserletes orvostud 9 no.5-6:570-574 Oct-Dec  
58.

1. Budapesti Orvostudományi Egyetem Korelettani Intézete és Országos  
Közegészségügy Intézet.

(TYROSINE, antag.

eff. on *Lactobacillus casei* & rat organs (Hun))

(LACTOBACILLUS, eff. of drugs on

tyrosine antag. on *Lactobacillus casei* (Hun))

KERTAI, P.; SOS, J.; with the technical assistance of JONA, M.

Methionine-35S uptake of rats fed on a methionine-deficient diet.  
Acta physiol.hung. 18 no.3:217-220 '60.

1. Institute of Pathophysiology, Medical University, Budapest.  
    (METHIONINE metab)  
    (LIVER metab)  
    (BRAIN metab)

RIGO, J.; BUDAVARI, I.; SOS, J.; with technical assistance of JONA, M.

Potassium, sodium, magnesium and calcium levels in rats during alimentary provocation of infarctoid cardiac lesions. Acta med. hung. 17 no.1:85-90 '61.

1. Institute of Pathophysiology (direktor: prof. J.Sos) University Medical School, Budapest.  
(MYOCARDIAL INFARCT exper.) (POTASSIUM chem.)  
(SODIUM chem.) (MAGNESIUM chem.) (CALCIUM chem.)  
(FATS nutrition & diet)

SOS, J.; KEMENY, T.; RIGO, J.; BUDAVARI, I.; Technical assistance of: SCHELL, M.;  
JONA, M.

Influence of amino acid deficiency on the chemical constitution and  
solidity of the bones. Acta physiol. hung. 19 no.1-4:267-272 '61.

1. Institute of Pathophysiology, Medical University, Budapest.  
(AMINO ACIDS deficiency) (BONE AND BONES chem.)

HORVATH, Szabolcs; HAN TO VU ; RIGO, Janos; technikai asszisztens:  
JONA, Margit

Effect of functional changes of the thyroid gland on the content of  
free tyrosine in the thyroid gland and blood plasma. Kiserl.  
orvostud. 14 no.3:293-297 Je '62.

1. Budapesti Orvostudományi Egyetem Korelettani Intézete.  
(THYROID GLAND metab) (THIOURACIL pharmacol)  
(TYROSINE metab)

RIGO, Janos; SOS, Jozsef; technikai asszisztens: JONA, Margit; ROZSAHEGYI, Beatrix

The effect of magnesium on kidney lesions caused by a cardiopathogenic diet. Kiserl. orvostud. 15 no.1:42-45 F '63.

1. Budapesti Orvostudományi Egyetem Kóreltani Intézete.  
(KIDNEY DISEASES) (MAGNESIUM) (DIET)  
(HEART DISEASE)



RIGO, Janos; SZELNYI, Istvan. Technikai asszisztensek: JÜIA, Margit;  
ROZSANEGYI, Beatrix.

Effect of magnesium on experimental hypertension in rats.  
Kiserl. orvostud. 16 no.1:24-27 Ja'64.

1. Budapesti Orvostudományi Egyetem Korelettani Intezete.

\*

RIGO, J.; SIMON, Gy; HEGYVARI, Cs. SOS, J. Technical assistance: SCHNELL,  
Maria; JONA, Margit.

Effect of magnesium on dietary infarctoid changes in the heart.  
Acta med. acad. sci. Hung. 19 no.3:231-236 '63

1. Institute of Pathophysiology, University Medical School,  
Budapest.

\*

RIGO, J.; SZELENYI, I.; Technische Assistenten: JONA, M.; ROZSAHEGYI, B.

Effect of magnesium on neurogenic and dietary hypertension  
in rats. Acta physiol. acad. sci. Hung. 24, no. 2: 253-259 1963.

1. Pathophysiologisches Institut der Medizinischen Universi-  
tat, Budapest.

(MAGNESIUM) (HYPERTENSION)  
(DIET) (HEART DISEASES)

RIGO, Janos; SZELENYI, Istvan; Technikai asszisztensek: SCHNELL, Maria;  
ROZSAHEGYI, Beatrix; JONA, Margit

The role of magnesium in an alimentary cardiomyopathy complicated by disturbances of the nervous system. Kiserl. orvostud.  
15 no.6:587-591 D '63

1. Budapesti Orvostudományi Egyetem Korelettani Intézete.  
(MYOCARDIAL INFARCT) (CALCIUM, DIETARY)  
(SODIUM) (PHOSPHATES) (CHOLESTEROL)  
(VITAMIN D2)

SOS, J.; GATI, T.; KEMENY, T.; RIGO, J. Technical assistance: SCHNELL,  
Maria; JONA, Margit; SZABO, Ilona

Infarctoid cardiac lesions induced by dietetic factors in the  
dog. Acta med. acad. sci. Hung. 20 no.1:1-8 '64

Infarctoid cardiac lesions induced by dietetic factors in the  
cock. Ibid.: 9-15

1. Institute of Pathophysiology (Director: J.Sos), University  
Medical School, Budapest.

GATI, Tibor; RIGO, Janos; GYENGÉ, Kalman; SOS, Jozsef; Technikai asszisztens:  
FEKETE, Katalin; JONA, Margit

Cardiovasopathogenic diet, effect of Ca and Mg on the strength of  
the cold pressor reflex in rats. Kiserl. orvostud. 16 no.4:380-384  
Ag '64.

1. Budapesti Orvostudományi Egyetem Korelettani Intézete.

CZECHOSLOVAKIA

EYBL, V.; JONAKOVA, M.; KOUTENSKY, J.; KOCHER, Z.; MERTL, F.; SYKORA, J.; Pharmacological and Physical Institute, Faculty of Medicine, Charles University; Department of Occupational Diseases (Farmakologicky a Fysikalni Ustav Lek. Fak. KU a Oddeleni pro Choroby z Povolani), SFN [Abbreviation not explained] 7, Plzen.

"The Effect of Dibenzylethylenediamine Salts of CaEDTA."

Prague, Ceskoslovenska Fysiologie, Vol.15, No 5, Sep 66, p 419

Abstract: The effect of the dibenzylethylenediamine salt of CaEDTA on the excretion of Mn and on its distribution in the organism was investigated. The content of Mn in the liver is reduced after the application of the discussed substance. The level of chelates in the organism is increased. No references. Submitted at 14 Days of Pharmacology at Smolenice, 17 Feb 66.

1/1

CZECHOSLOVAKIA

MURGAS, K., JONEC, V., OPRSALOVA, Z; Endocrinological Institute, Slovak Academy of Sciences (Endokrinologicky Ustav SAV), Bratislava.

"Adrenocortical Activity and Ability of Rats to Learn in the Development of a Conditioned Reflex."

Prague, Ceskoslovenska Fysiologie, Vol 15, No 2, Feb 66, p 116

Abstract: Experiments were conducted using ringing as a signal to rats to enter another part of a box to avoid an electric shock. It was found that the rats that learned the best how to avoid the shock had the lowest adrenocortical activity. When the electric shock was replaced by very intensive ringing, the activity of the adrenal cortex was highest in the rats that learned best. No references. Submitted at "16 Days of Physiology" at Kosice, 27 Sep 65.

1/1

biological purification. Vachek, Joubert, Hill, Barta, and Ratinsky. Geogr. Czech., 89: 339. Tabl. 25. 1956. Mash  
iron yeast production (1000 hectol.) contg. on the av. 1 g.  
S and 0.5 g. N per l. is fermented in a closed tank contg.  
3-4 tons of Fe shavings with a 20 hectol. inoculum of rod-  
shaped betain-splitting bacteria [e.g. *Clostridium*] for 8-12  
hrs. at 20-35°. Then the mixt. is fermented with a 100  
hectol. inoculum of *Sulfobacillus desulfuricans* for 48-60 hrs.  
at 20-46°. Excess H<sub>2</sub>S is then expelled by stirring, and  
20% lime water is added to pH 8-8.5. Following sedi-  
mentation, the clear supernatant liquid is removed to  
another tank, and the ppn. is completed by adding of lime  
water to pH 11.5. Removal of NH<sub>3</sub> by aeration is followed  
by sedimentation. The clear liquid is mixed with river  
water in the ratio 1:5 and discarded. H<sub>2</sub>S arising during  
the fermentation is recovered by the arecuite method.  
Combustible gases are removed and burned. The pptd.  
sediment is sepd. The process yields: 55 kg. S (bound in  
the sediment), 60 kg. elementary S (from H<sub>2</sub>S), 0.1 kg. N  
(bound in the sediment), 30.5 kg. N (as NH<sub>3</sub>), 62.5 cu. m.  
CH<sub>4</sub>, 32.5 cu. m. H<sub>2</sub>, and 350 kg. lime fertilizer. L. I. U.



YONAYTIS, S.I. [Jonaitis, S.]

Sorting brushwood splinters. Trudy AN Lit. SSR. Ser. B no.2:  
265-271 '62. (MIRA 18:3)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

Jonak, J.

Jonak, J. The HJ 8A single-stand planing machine. p. 66.

Vol. 5, no. 2, Feb. 1957

STROJIRENSKA VYROBA

TECHNOLOGY

Czechoslovakia

So: East European Accessions, Vol. 6, May 1957  
No. 5

ACC NR: AP6006049

SOURCE CODE: CZ/0053/65/014/004/0297/0297

AUTHOR: Jonakova, M.; Koutensky, J.; Eybl, V.; Sykora, J.

ORG: Institute of Pharmacology, Medical Faculty, Charles University, Plzen  
(Farmakologicky ustav lek. fak/ UK); Department of Occupational Diseases, SFN, Plzen  
(Odd. chorob z povolani SFN) 55

TITLE: The toxic effects of cadmium complexes of aminopolycarboxylic acids [This  
paper was presented during the Twelfth Pharmacologic Days, Smolenice, 28 Jan 65.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 297

TOPIC TAGS: toxicology, aliphatic polycarboxylic acid, organocadmium compound,  
drug effect, pharmacology, blood pressure, respiratory system, chelate compound

ABSTRACT: CdCl<sub>2</sub> and its chelates with EDTA, HEDTA tended to cause hypotension  
and tachypnea; CdCDTA caused transient hypertension. EKG changes are described.  
[JPRS]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 001

Card 1/1

L 13238-66 EWT(1)/EWA(j)/EWA(b)-2 RO

ACC NR: AP6006052

SOURCE CODE: CZ/0053/65/0114/0014/0293/0299

AUTHOR: Koutensky, J.; Eybl, V.; Jonakova, M.; Sykora, J.; Mertl, F.

ORG: Institute of Pharmacology, Medical Faculty, Charles University, Plzen  
(Farmakologicky ustav lek. fak. UK); Department of Occupational Diseases, SFN,  
Plzen (Odd. chorob z pov. SFN); Institute of Physics, Medical Faculty, Charles  
University, Plzen (Fyzikalni ustav LF UK)

TITLE: Role of cadmium in acute ferritin toxicity [This paper was presented  
during the Twelfth Pharmacologic Days, Smolenice, 28 Jan 65.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 298-299

TOPIC TAGS: mouse, pharmacology, cadmium, protein, organoiron compound, toxicology,  
blood pressure

ABSTRACT: Cadmium-containing crystallized ferritin had an LD<sub>50</sub> of 100 mg /Kg  
in mice; cadmium is stored in kidneys and spleen; while noncrystallized ferritin  
lowers blood pressure transiently, crystallized ferritin with cadmium raises it;  
CaDTA and CaDTPA can solubilize body cadmium and remove it from the body, as shown  
chromatographically. [JPRS]

SUB CODE: 06 / SUBM DATE: none / OTH REF: 004

Card 1/1